

quick start manual Lattiz®
Go.






discover the Lattiz[®] Go website.


Here you can watch installation and other videos, order new machines, buy parts in the webshop, contact a service partner and much more.

scan the QR code.



- 1. Control buttons
- 2. Flush button
- 3. Signal pictograms
- 4. Spout
- 5. Water tank*
- 6. Drip tray and plate
- 7. Door
- 8. Separate spout for descaling*
- 9. QR code to user manual
- 10. Menu screen
- 11. Indication LEDs
- 12. Service information
- 13. USB connector
- 14. On/off switch
- 15. Coupling
- 16. Lattiz® packaging





^{*} Only with water tank version.







install.

Total 20 minutes.

- 1. Put the Lattiz® Go in place.
- 2. Supply the Lattiz® Go with water:

Water tank version.

Insert the water filter. (see step 2: Install water filter*)

Fixed water connection.

Have the machine installed by the service partner due to external water filter.

- 3. Plug into the socket (grounded).
- 4. Slide the drip tray in front of it (remove the blue foil from the drip tray plate).



Read the instructions in the supplied safety booklet (700.403.903).

install water filter.

- 1. Open the door. The 4th light will go on and CHRNSE FILTER is displayed, press
- 2. SET HARDNESS is displayed, press 🕘
- 3. Refer to the reference table accompanying the water filter's instructions. Select the water hardness. press 1 / 1 and confirm with 1.
- 4. REPLACE FILTER is displayed, press 4. Close the door.

Important: For more information on use, replacement and maintenance, please follow the original user manual of the filter purchased, BRITA, AquaAroma Crema. Take hygienic measures and wash your hands before installing the filter.

- Remove the water tank from the Lattiz® Go and remove the cover.
- 5. Set the filter to the correct water hardness (A, B, C). Use a water hardness tester or ask the local water supply company.
- 6. Immerse the water filter before use to allow it to fill with water

Remove the lid from the Lattiz® water tank by unscrewing it (counterclockwise). Press the filter onto the lid. Fill the water tank with fresh water.

- 7. Replace the lid with the filter. Screw the assembly into the water tank.
- 8. Place the water tank, with cover, back into the machine.



















inserting Lattiz® bibs.

- · Place the Lattiz® packaging in the Lattiz® Go.
- · Follow the instructions on the Lattiz® packaging.
- · Close the coupling and the door.
- · Place a jug.
- · Press the rinse button, after which a beep sounds and 60 ml of hot water with a little milk is dispensed. After rinsing, the lights on all buttons come on and the Lattiz® is ready to use.













adjust beverage quantity.

- · Place a cup, glass or jug under the spout.
- Press the button of the beverage to be adjusted until it flashes (at least 5 seconds).
- Release the button.
- Briefly press the flashing button once. The Lattiz® Go starts dispensing.
- Press the same button again to stop.

The beverage quantity is now set and all buttons are released.



Watch the video here



sleep mode Lattiz[®] Go.

After 30 minutes.

After 30 minutes of not being used, the Lattiz® Go goes into sleep mode, with the buttons alternating slowly on and off.

- · Place a jug.
- Press the rinse button once to bring the Lattiz® Go out of sleep mode. Rinsing starts automatically,
 60 ml of water is dispensed.

After rinsing, the lights on all buttons come on and the Lattiz® is ready to use.



disclaimers.

- · Cleaning instructions via QR code.
- · Not dishwasher-safe.
- · Risk of burns from hot parts, liquids and steam.
- Never grab the spout.
- Rinse the Lattiz® Go before switching it off.



Cleaning instructions.



want to stay up-to-date?

Follow our latest innovations and be inspired by all the possibilities with Lattiz®?





Or visit www.lattiz.com



impossibly easy.